IN THE CLAIMS

- 1-14 (Canceled).
- 15. (Previously Presented) A certificate comprising:

an electronic tag attached on or put in the certificate and storing a first information;

wherein a second information and a digital signature are printed on the surface of the certificate; and

the digital signature is generated from the first information and the second information.

16. (Previously Presented) The certificate according to
claim 15;

wherein the digital signature is generated from a linkage or a hashed linkage of the first information and the second information using RSA.

17. (Previously Presented) The certificate according to claim 15;

wherein the digital signature is a sum or a hashed sum of the first information and the second information using RSA.

18. (Previously Presented) The certificate according to claim 15;

wherein the first information is represented by xl, the second information is represented by x2 and the digital signature is represented by y, secret keys are represented by d and d, and the digital signature is obtained by the equation

y = (x1 + x2) **d mod n, where the function "+" represents linking of xl and x2 to each other.

- 19. (Currently Amended) An apparatus for issuing a certificate comprising:
- a certificate paper-accommodating part which accommodates certificates comprising electric tags which stores first information;
- a printing part which prints a second information and a digital signature on the surface of the certificates; and

wherein the digital signature is generated from the first information and the second information.

20. (Previously Presented) The apparatus according to claim 19;

wherein the digital signature is generated from a linkage or a hashed linkage of the first information and the second information using RSA.

21. (Previously Presented) The apparatus according to claim 19;

wherein the digital signature is a sum or a hashed sum of the first information and the second information using RSA.

22. (Previously Presented) The apparatus according to claim 19;

wherein the first information is represented by xl, the second information is represented by x2 and the digital signature is represented by y, secret keys are represented by d and n, and the digital signature is obtained by the equation

Serial No. 09/645,401

y = (xl + x2) **d mod n, where the function "+" represents linking of xl and x2 to each other.